

ADVANTAGE TENT FITTINGS®

2021 RENTAL INDUSTRY WHOLESAL

SOURCE BOOK

PRICING SUBJECT TO CHANGE

- FOR THE EVENT RENTAL PROFESSIONAL -

Welcome



Introduction

We are dedicated to developing, manufacturing and making readily available innovative products and solutions for the tent and event rental professional. Family owned and operated since 1991, we are also committed to providing first rate customer service at all times which includes treating those we serve with courtesy and respect, offering fair pricing, promptly responding to inquiries and listening to what our customers have to say. Our Rental Industry Sourcebook is a culmination of more than two decades of research and development to bring you the finest products available at an exclusive wholesale price only available to established business customers.

Our Mission

To be the world's leading resource for products that support, secure, accessorize, illuminate and renew tents.

General Policies

Price

Although we strive to maintain published pricing, Advantage Tent Fittings reserves the right to modify prices and terms when necessary, and without notice. Please confirm current price when ordering.

Minimum Order

A \$25.00 minimum applies per shipment and does not include tax/shipping cost.

Credit Card Orders

We accept Visa, MasterCard, Discover and American Express.

General Credit Policy

Net 30 day payment terms are available subject to credit approval. A credit application is required for new accounts and for existing accounts that would like to increase their credit limit. A 3% processing fee will be added to invoices that are billed Net 30 days and paid by credit card after date of shipment.

Custom Orders

Custom orders are available through an Advantage customer service representative. Special pricing and product availability will be determined at the time of order placement. All custom orders must be prepaid in advance of production and are non-refundable.

Sales Tax

Orders shipping within the state of Ohio are subject to local prevailing sales tax rate unless a valid tax exempt or resale certificate is submitted and approved.

Shipping

It is the responsibility of the buyer to verify receipt of shipped goods and to make sure the order is complete and undamaged. Claims for incomplete shipments must be made to Advantage Customer Service within five days of deliver. Claims for goods damaged during transport will not be accepted if the damage was not clearly notated on the delivery documentation. Parcel and LTL Freight costs are prepaid and added to invoice unless other arrangements are requested. Product may occasionally ship directly from our supply chain partners. All provided ship dates are estimates only and subject to change.

Return Policy

All return claims must be filed within 14 days of receiving goods. To obtain a RMA number please call toll free 1-866-813-4501. RMA certificates must be displayed on all returned merchandise or merchandise will be refused. Any returned merchandise that is not deemed to be Advantage's responsibility will be subject to a 15% restocking fee and must be returned with prepaid freight.

Limited Warranty

Advantage Tent Fittings warrants that all products included in this catalog will be free from manufacturer defects at the time of shipment; however, the warranty length does vary by product type. Please contact our sales department for details regarding the warranty length for a specific product. This warranty is limited to product replacement or refund of the original purchase price and does not cover normal wear and tear and damage caused by shipping, product alteration, improper installation and other conditions beyond our control. Because we have no control over the ultimate end use of our products, in no event shall Advantage Tent Fittings be held liable for any personal or financial loss, injury,

© 2009-2020 Advantage Tent Fittings, Inc. No Reproduction without written permission from Advantage Tent Fittings. Not responsible for typographical errors.

Three easy ways to order...

- **Call** Toll Free 1-866-813-4501 (1-740-773-3015)
- **Fax** your Order to 1-740-773-8371
- **E-mail** your Order to: sales@advantagetent.com

If you wish to pay by credit card, please do not include credit card information with e-mail orders, we will promptly call you to obtain billing information.

We are standing by to serve you: Mon-Fri, 8AM-5PM E.S.T.



Table of Contents

4 - Tent Poles

9 - Tie Downs

12 - Sidewalls

14 - Tent Accessories

16 - Drop Cloths & Bags

18 - Fasteners

20 - Event Safety

21 - Anchors & Installation

26 - Cleaning & Repair

28 - Event Lighting

36 - Lighting Hardware

38 - Electrical & Fans



Many of the products within this catalog including all tent poles and sewn/heat sealed products are assembled with pride at our company owned factory in Southern Ohio. Other products are sourced domestically and globally to stringent quality standards and always with the tent and event rental professional in mind.

Member of the following trade organizations:



IFAI | INDUSTRIAL FABRICS
Association International

Tent Poles

Wood Tent Poles



Rectangular Wood Side Poles

Features:

- Available with 1.5" X 2.5" profile
- Made of Select Southern Yellow Pine
- 1/2" Steel Pin
- Exclusive Corrosion Resistant Metal Cap
- An Economical Choice for Backyard Party Canopies



Octagonal Wood Quarter Poles

Features:

- Available in 2.5" X 2.5" & 3.5" X 3.5"
- Made of Select Southern Yellow Pine
- Multi-piece lamination process results in stronger construction than one-piece poles due to differential grain patterns
- Heavy Duty 5/8" Steel Pin
- Exclusive Zinc Coated, Smooth Radius Cap
- Unique Octagonal finish and nearly Knot Free Grain makes for an attractive addition to any tent.

Rectangular Wood Side Poles

Finished Size: 1.5" X 2.5"
Solid 1pc Southern Yellow Pine

Length	Product Code
7'	WHDUSP7
8'	WHDUSP8

Sold in bundles of 10, priced EA.

Octagonal Wood Quarter Poles

Finished Size: 2.5" X 2.5"
Laminated Southern Yellow Pine

Length	Product Code
7'	W3X3QP7
8'	W3X3QP8
9'	W3X3QP9
10'	W3X3QP10
10'6"	W3X3QP106
12'	W3X3QP12
12'6"	W3X3QP126
14'	W3X3QP14

Finished Size: 3.5" X 3.5"
Laminated Southern Yellow Pine

Length	Product Code
7'	W4X4QP7
8'	W4X4QP8
10'	W4X4QP10
10'6"	W4X4QP106
12'6"	W4X4QP126
14'	W4X4QP14
16'	W4X4QP16



Photo - EventQuip - Landsdale, PA

In addition to supporting vinyl backyard party canopies, our octagonal wood tent poles make a beautiful addition to sail cloth style tents! - Illustrated above with customer applied stain.

Tent Poles

Photo - Ocean Tents & Party - Manahawkin, NJ



Photo - A Tent for Rent, Inc. - Dedham, MA




Photo - BluePeak Tents - West Chicago, IL

Engineered Wood Center Poles

Designed and manufactured with scrupulous attention to detail, our Engineered Wood Center Poles offer the beauty of real wood construction without compromising strength and safety.

Features:

- Available with 4.5" or 5.5" diameter
- Made of Select Southern Yellow Pine
- 4 Ply lamination design adds strength and stability
- Exclusive Galvanized Coated, Smooth Radius Cap
- 5/8" or 3/4" Steel Pin
- Inquire for allowable load values



Engineered Construction
for Superior Field
Performance!



Protective Aluminum Baseplate
WCPS4.5 & WCPS5.5



Nylon Storage Sleeve &
Handling Straps pg. 17

Length	Product Code	Weight (lbs)
4.5" X 4.5" Engineered Wood Center Poles		
18'	W5X5CP18	107
19'	W5X5CP19	113
20'	W5X5CP20	119
21'	W5X5CP21	125
22'	W5X5CP22	131
5.125" X 5.5" Engineered Wood Center Poles		
18'	W6X6CP18	126
19'	W6X6CP19	133
20'	W6X6CP20	140
21'	W6X6CP21	147
22'	W6X6CP22	154
24'	W6X6CP24	168
25'	W6X6CP25	175
26'	W6X6CP26	182
27'	W6X6CP27	189
29'	W6X6CP29	203

-Inquire for allowable loads. Allowable load calculations performed in accordance with AITC Timber Construction Manual, Section 4.4 Axially Loaded Members. Any provided load values are absolute with no added safety factor and applicable to ATF laminated wood tent poles only having the specifications listed on this page.

-Allowable load calculations assume vertical installation and vertical application of all loads with no load eccentricity, torsion or other imposed loads. Calculations also assume use in calm dry conditions for seven days or less and in sustained temperatures less than 100 degrees Fahrenheit. Any deviation from vertical installation or these assumed conditions may result in substantially reduced load capacities.

-Any provided allowable load capacities are based on the assumption that at both ends of pole, translation is fixed and rotation is allowed.

-To comply with AITC recommendations for slenderness ratio, pole lengths greater than 17' (4.5") and 18' (5.5") require a base plate capable of preventing both rotation and translation of the bottom end of the pole.

-All published data herein is intended as a reference guide only and is subject to change at any time without notice. It is the responsibility of the tent installer to determine ultimate suitability based on prevailing conditions at the job site.

Tent Poles

Aluminum & Steel Tent Poles



1.75" Aluminum

Features:

- 1.75" Aluminum Tube
- Approx. .413 lbs. per foot
- Anodized Finish
- 1/2" Aluminum Pin
- Machined Resin Top & Bottom
- Swaged Multi-Piece Construction
- Secure Push Button Assembly
- Ideal for OTC rental kits



2" Schedule 40 Aluminum

Features:

- 2" Sched. 40 Aluminum
- 2.375" O.D.
- Approx. 1.264 lbs. per foot
- Anodized Finish
- 5/8" Aluminum Pin
- Machined Resin Top & Bottom
- Single or Multi-Piece Sections



2.375" Galvanized Steel

Features:

- 2.375" Galvanized Steel
- Approx. 1.605 lbs. per foot
- 16 Gauge - .065 Wall Thickness
- Triple Coat Corrosion Resistant Protection
- 5/8" Aluminum Pin
- Machined Resin Top & Bottom

1.75" Anodized Aluminum


1.75" Aluminum tent poles are lightweight, corrosion resistant and available in multi-piece sections that are perfect for inclusion in over-the-counter (OTC) rental kits. Our anodizing process gives the poles an attractive finish and provides maximum corrosion resistance. In addition, our top assembly consists of a smooth radius resin material that is easy on your vinyl tent tops and will not rust. The multi-piece sections slip-fit together and lock in place with a strategically placed push button.

1.75" Aluminum Standard Sizes

AVAILABLE JULY 2021

1.75" Anodized Aluminum Tube - Two Piece Side Poles		
Length	Description	Product Code
7'	1.75" X 7' Aluminum Side Pole, 2PC	A175TP2PC7
1.75" Anodized Aluminum Tube - Multi Piece Swaged Center Poles		
10' 6"	1.75" X 10' 6" Aluminum Center Pole, 3PC	A175TP3PC106
12' 6"	1.75" X 12' 6" Aluminum Center Pole, 4PC	A175TP4PC126

Multi-piece poles are perfect for OTC rentals and light duty party canopies!



6" Swage (Slip-Fit)

2" Schedule 40 Anodized Aluminum

With a .1875" wall thickness and outside diameter of 2.375", Schedule 40 Aluminum is our most heavy-duty metal Side Pole option. In addition to one piece Side Poles we now offer swaged multi-piece 2" Schedule 40 Aluminum Center Poles that are ideal for use with our 1.75" Aluminum Side Poles (Pg. 6). An anodized finish provides an attractive appearance and offers superior corrosion resistance. The machined resin top will not rust and the smooth radius is easy on your tent top.

6" Swage (Slip-Fit)

Available for Multi-Piece 2" Sched. 40 Center Poles!

2" Schedule 40 Standard Sizes

2" Schedule 40, 2.00" I.D. - 2.375" O.D. - One Piece Side Poles		
Length	Description	Product Code
7'	2" Sched. 40 Aluminum Side Pole, 1PC	A2SC401PC7
8'	2" Sched. 40 Aluminum Side Pole, 1PC	A2SC401PC8
9'	2" Sched. 40 Aluminum Side Pole, 1PC	A2SC401PC9
10'	2" Sched. 40 Aluminum Side Pole, 1PC	A2SC401PC10
2" Schedule 40, 2.00" I.D. - 2.375" O.D. - Multi Piece Swaged Center Poles		
7'	2" Sched. 40 Center Pole Top Section	A2SC401PC7T
7'	2" Sched. 40 Center Pole Bottom Section	A2SC401PC7B
8'	2" Sched. 40 Center Pole Top Section	A2SC401PC8T
8'	2" Sched. 40 Center Pole Bottom Section	A2SC401PC8B
1'	2" Sched. 40 Center Pole Extender	A2SC401PC1E

Galvanized Steel

Our Galvanized Steel Poles feature triple coat corrosion resistance including a zinc base coat, a conversion coat and an organic clear coat that give the pole an attractive finish that is corrosion resist. The machined resin top will not rust and the smooth radius is easy on your tent top. With a 16 gauge (.065") wall thickness and 2.375" outside diameter, Galvanized Steel is a durable option at an economical price.

2.375" Steel Standard Sizes

Length	Product Code
7'	GS23757
8'	GS23758
9'	GS23759
10'	GS237510


Featuring
Triple-Layer Corrosion
Resistant Finish!

Tent Poles

4" Aluminum Tube Center Poles

Features:

- 4" O.D. aluminum tube
- Anodized finish
- Wall thickness = .125"
- Lbs. per linear foot = 1.79
- Smooth radius machined top & bottom
- 5/8" stainless steel pin
- Stake hole located 30" from bottom
- Economical & lightweight
- Available in single or multi piece assemblies with swage



Available with Swaged Joint

4" Aluminum Tube Pole Common Lengths

Length	Product Code
18'	A4TP1PC18A
19'	A4TP1PC19A
18'	A4TP2PC18A
19'	A4TP2PC19A


Schedule 40 Aluminum Center Poles

4" Schedule 40, 4.00" I.D. - 4.50" O.D., 1 & 2 Piece		
Length	Description	Product Code
21'	4" Sched. 40 Aluminum Center Pole, 2PC	A4SC402PC21
22'	4" Sched. 40 Aluminum Center Pole, 2PC	A4SC402PC22
25'	4" Sched. 40 Aluminum Center Pole, 2PC	A4SC402PC25

5" Schedule 40, 5.00" I.D. - 5.50" O.D.		
Length	Description	Product Code
25'	5" Sched. 40 Aluminum Center Pole, 2PC	A5SC402PC25

6" Schedule 40, 6.00" I.D. - 6.50" O.D.		
Length	Description	Product Code
29'	6" Sched. 40 Aluminum Center Pole, 2PC	A6SC402PC29
5'	6" Sched. 40 Aluminum Extension, 1PC	A6SC401PC5EXT

ATF Two Piece Center Pole Construction Methods



Swage (Slip Fit)

Machined Resin
Top & Bottom



Sleeve & Bolt System

Machined Aluminum
Top & Bottom

Standard for: 1.75" Tube, 2" Schedule 40 & 4" Aluminum Tube Poles

2" Sch. 40 and 4" tube poles do not include push button/hole

Standard for: 4" - 6" Schedule 40 Aluminum Center Poles





Polypropylene Twisted Rope

Our three strand Twisted Polypropylene Rope is light, strong and durable! Treated to resist deterioration; waterproof and resistant to rot, oils, gasoline and most chemicals.

Description	Product Code	Tensile Strength	Work Load
1/4" × 1,200'	141200WPR	1,238 lbs.	155 lbs.
3/8" × 600'	38600WPR	2,673 lbs.	334 lbs.
1/2" × 600'	12600WPR	4,158 lbs.	520 lbs.
5/8" × 600'	58600WPR	6,138 lbs.	767 lbs.

Polyester Braided Rope

Braided Rope is ideal for use as a tent pole "jump rope", performing tent repairs and anchoring sidewalls. The 3/16" diameter rope is stocked on 1,000' spools.

Description	Product Code
3/16" × 1000'	3161000WBR



Rope Accessories

Our wooden rope slide accommodates up to 3/8" diameter rope and makes it easier to adjust guy-line rope tension. The Metal Rope Snap is rated up to 770 lbs and streamlines installation by creating a quick connect point on the end of your rope guy-line.



4" Wooden Slide
(3/8" Rope Max.)



Metal Rope Snap

Description	Product Code
Metal Rope Snap	MRS770
Wooden Rope Slide	SLIDE4INW

Electric Rope Cutting Gun

You will never use a knife again once you have tried our Rope Cutting Gun! Cut and seal synthetic rope in a snap! Replacement cutting blades available.

Description	Product Code
Electric Cutting Gun	S6801-15463
Replacement Blade	S6801-15464



Tie Downs

1" X 12' (or 15') Ratchet Strap

- Zinc coated D-ring sewn to fixed short end
- Long end options: snap hook, wire hook or sewn loop
- Webbing: American made 3,500 lb. White Polyester
- Available in finished lengths of 12' or 15'
- **Assembly working load limit – 1,100 lbs.**

Description	Product Code
1" X 12' Ratchet Assembly W/Snap Hook	RW1X12DRFSH
1" X 12' Ratchet Assembly W/Wire Hook	RW1X12DRWH
1" X 12' Ratchet Assembly W/Web Loop	RW1X12DRWL
1" X 15' Ratchet Assembly W/Snap Hook	RW1X15DRFSH
1" X 15' Ratchet Assembly W/Wire Hook	RW1X15DRWH
1" X 15' Ratchet Assembly W/Web Loop	RW1X15DRWL



Options for long, unfixed end:



Snap Hook Wire Hook Web Loop



2" X 15' Ratchet Strap

- Zinc coated delta ring sewn to fixed short end
- Loose long end options: twisted snap hook, wire hook or sewn loop
- Webbing: American made 10,000 lb. white polyester
- Available with single or double yoke d-ring strap
- 15' standard length
- **Assembly working load limit – 3,333 lbs.**

Single Yoke Assembly Options	Product Code
2" X 15' Assembly W/Snap Hook	RW2X15DRTSH
2" X 15' Assembly W/Wire Hook	RW2X15DRWH
2" X 15' Assembly W/Web Loop	RW2X15DRWL

Options for long, unfixed end:



Snap Hook Wire Hook Web Loop

Double Yoke Assembly Options	Product Code
2" X 15' Double Yoke W/Snap Hook	RW2X15YDRTSH
2" X 15' Double Yoke W/Wire Hook	RW2X15YDRWH
2" X 15' Double Yoke W/Web Loop	RW2X15YDRWL

2" X 15' Web Strap

- Use with winch kit systems or as a replacement strap for existing ratchets
- Sewn end options: twisted snap hook, wire hook or sewn Loop
- Webbing: American made 10,000 lb. white polyester
- 15' standard length; custom lengths by special order
- **Strap working load limit – 3,333 lbs.**

Description	Product Code
2" Strap W/Twisted Hook	RW2X15SOTSH



Tie Downs

Tent Bundle Straps



Description	Product Code
10' Tent Strap, Black	TBS10FB
14' Tent Strap, Black	TBS14FB

Velcro Cinching Straps



Description	Product Code
24" Velcro Strap, Black	PBVS24INB
38" Velcro Strap, Orange	PBVS38INO
48" Velcro Strap, Green	PBVS48ING

Catenary Wire Cable System

Features:

- Use to support light strings, light fixtures, anchor sidewalls or brace framework
- Unique Cable Grip allows you to create end loops in seconds
- End loops can be unlocked with release key for complete flexibility
- Innovative C-Clamp allows you to create drop points to hang light fixtures
- Use with carabiners to make quick connections

Diameter	Vertical SWL (lbs)	Horizontal SWL (lbs)	C-Clamp SWL (lbs)
5/64"	100	N/A	N/A
1/8"	200	70	35
3/16"	495	120	N/A
1/4"	715	220	100

Description	Product Code
Cable Diameter →	
500' Wire Cable	WC500FT
Cable Cutters	WCCUT
Cable Grip	WCGRIP
C-Clamp Junction	WCCLAMP
Wire Tensioning Device	WCTENSION
Steel Carabiner	WCSC200
5' Vertical Drop W/Snaphook	WC5FTDROP
10' Vertical Drop W/Snaphook	WC10FTDROP

Important Safety Information

- Never overtighten or exceed published Safe Working Load Limit (SWL)
- Always heed tent manufacturer recommendations for frame tent system wire cable bracing installation and specifications
- Do not use Tensioning Device on 1/4" Cable before load is applied. All components intended for use on our proprietary cable.



Cable Cutters



Cable Grip



C-Clamp Junction

Sidewalls



Heavy-duty quick release buckles make for a neat, uniform fit between walls.



Solid “Deluxe” Sidewalls

Manufactured with high quality 12 oz. flame retardant vinyl, our Deluxe Sidewalls provide privacy and protection from the elements! Deluxe Sidewalls come equipped with convenient, heavy-duty, quick release buckles and measure 24” longer than listed dimensions to allow for a seamless overlap when connecting multiple walls. All walls come with a certificate of flame resistance.

Size	Product Code
7' × 20'	D7X20
7' × 30'	D7X30
7' × 40'	D7X40
8' × 20'	D8X20
8' × 30'	D8X30
8' × 40'	D8X40

Solid Sidewalls W/Velcro®

The ultimate combination of durability and value, Velcro® Sidewalls are manufactured with premium 12 oz. vinyl and 2” Velcro® fasteners on the ends to allow for a seamless connection between multiple walls. Velcro® Sidewalls come with a certificate of flame resistance.

Size	Product Code
7' × 20'	V7X20
7' × 30'	V7X30
7' × 40'	V7X40
8' × 20'	V8X20
8' × 30'	V8X30
8' × 40'	V8X40



Heavy-duty quick release buckles make for a neat, uniform fit between walls.



Clear Sidewalls

Constructed of high quality 12-Gauge Clear Vinyl, our Clear Sidewalls come equipped with snap hooks on top and quick release buckles on the ends and measure 24” longer than listed dimensions for a seamless connection between multiple walls. Clear Sidewalls are ideal for events where protection from the elements and maintaining an outside view is important. All Clear Sidewalls come with a certificate of flame resistance.

Size	Product Code
7' × 20'	C7X20
7' × 30'	C7X30
7' × 40'	C7X40
8' × 20'	C8X20
8' × 30'	C8X30
8' × 40'	C8X40



Premium French Windows

Manufactured with high quality 12 oz. flame retardant vinyl, our French Windows are sure to add a touch of elegance to your next event! French Windows come equipped with convenient, heavy-duty, quick release buckles and measure 24" longer than listed dimensions to allow for a seamless overlap when connecting multiple walls. All walls come with a certificate of flame resistance.

Size	Product Code
7' x 20'	FW7X20
7' x 30'	FW7X30
7' x 40'	FW7X40
8' x 20'	FW8X20
8' x 30'	FW8X30
8' x 40'	FW8X40

Heavy-duty quick release buckles make for a neat, uniform fit between walls.



Mesh Sidewalls

Constructed of durable white vinyl-coated polyester, our Mesh Sidewalls let the air in and keep the bugs out! Each wall comes equipped with quick release buckles on the ends and measures 24" longer than listed dimensions to allow for a seamless overlap between walls. All Mesh Sidewalls come with a certificate of flame resistance.



Inside View

Heavy-duty quick release buckles make for a neat, uniform fit between walls.



Size	Product Code
7' x 20'	M7X20
7' x 30'	M7X30
7' x 40'	M7X40
8' x 20'	M8X20
8' x 30'	M8X30
8' x 40'	M8X40

Tent Accessories



Barrel Covers

Say goodbye to rusty, dirty and unsightly barrels!

Manufactured with premium 12 oz. white vinyl, Barrel Covers conceal rusted and dented barrels to keep your event looking clean and classy! Barrel Covers are equipped with Velcro® fasteners that allow for easy installation onto any 55 gallon barrel.


Description	Product Code
White Barrel Cover	WBC12OZ

Convenient Velcro® flap feature makes it easy to slip on and off the barrel!

Sidewall Extensions

Oversized Sidewalls are expensive and are seldom used. Our Sidewall Extensions get the job done at a fraction of the cost! Use our top quality 12 oz. white vinyl Sidewall Extensions with any standard sidewall and easily obtain a 9', 10' or even 11' ceiling! A 6" flap overlap provides a virtually seamless wall.

1' Extensions		2' Extensions		3' Extensions	
Product Code		Product Code		Product Code	
SE1X20	1' × 20'	SE2X20	2' × 20'	SE3X20	3' × 20'
SE1X30	1' × 30'	SE2X30	2' × 30'	SE3X30	3' × 30'
SE1X40	1' × 40'	SE2X40	2' × 40'	SE3X40	3' × 40'



Vinyl Rain Gutters

Constructed of top quality 12 oz. white vinyl with 1" snap hooks for easy attachment to canopy valance ropes. The 10' to 30' sizes drain in one direction and 40' size drains in both directions from the middle.



The Right Connection for Joining Frame Tents!

Description	Product Code
10' Rain Gutter	10RGW
15' Rain Gutter	15RGW
20' Rain Gutter	20RGW
30' Rain Gutter	30RGW
40' Rain Gutter	40RGW

Intended for use with frame tents

Decorative Leg Skirts

Transform an ordinary tent into an upscale looking event site with Decorative Leg Skirts! Constructed of premium 100% Polyester that is flame retardant, the skirts feature snap hooks at the top for easy attachment to valance rope. Create a pleated effect in the middle of the skirt with the included Velcro® band.

Standard Features:

- 100% Polyester
- Flame Retardant - Passes NFPA 701 Small Scale
- Approximately 68" Wide
- Stock color is Bright White
- Off White and Ivory available by special order (added lead time and minimum order may apply)
- Custom sizes available by special order

Description	Product Code
7' White Leg Skirt	7WLS
8' White Leg Skirt	8WLS



Before

After

Vinyl Pole Covers

Save Time and Money • Increase Revenue • No More Painting

A natural addition to any white vinyl tent installations, our Pole Covers are made of top quality 12oz. white vinyl and are easy to install with fasteners manufactured by Velcro® U.S.A. Designed to accommodate 1 1/2" x 2 1/2" to 2 1/2" x 2 1/2" diameter poles. The glossy vinyl surface cleans off easy with our vinyl tent cleaner. Custom sizes and Center Pole Covers available by special order.

Description	Product Code
7' Pole Covers	PC7WEA
8' Pole Covers	PC8WEA
9' Pole Covers	PC9WEA

Vinyl Ratchet Covers

Vinyl Ratchet covers are made of white vinyl laminate with Velcro® Fasteners that make it easy to secure around your 1" or 2" ratchets. The result is cleaner and much more professional looking installations.

Description	Product Code
1" Ratchet Cover	1INRC
2" Ratchet Cover	2INRC



Drop Cloths & Bags



Nylon Drop Cloths

The most cost effective way to protect your Tent Top!

This Drop Cloth has withstood the test of time! Customers have reported up to four years with no tears from asphalt, concrete or gravel! Our Drop Cloths are lightweight, easy to clean, dry quickly, extremely rugged and the best way to protect your tent investment. Custom sizes and grommated edge available, please call for pricing.

Description	Product Code
22' × 22' Drop Cloth	DC22X22
22' × 32' Drop Cloth	DC22X32
22' × 42' Drop Cloth	DC22X42
32' × 32' Drop Cloth	DC32X32

Standard Sidewall Storage Bag

Constructed of heavy-duty nylon, our Sidewall Storage Bags are durable yet economically priced. Standard Storage Bag features grommets at the top to accommodate 1/4" rope for storage. With finished dimensions of 22" X 36", this storage bag accommodates most sidewall sizes. Rope not included.

Description	Product Code
22" × 36" Sidewall Storage Bag	SWB2236



Premium Sidewall Storage Bag

With Convenient Label Pocket!

Our Premium Sidewall Storage Bag is constructed of 10 oz. white vinyl and features a drawstring at the top to keep dirt and moisture out and a convenient label pocket on the front that makes organizing your inventory easy. With finished dimensions of 22" X 36", this storage bag accommodates most sidewall sizes.

Description	Product Code
22" × 36" Premium Storage Bag	PSWB2236

Laminating label before placing in label pocket helps prevent ink from smearing due to moisture.

Frame Part Bag

Manufactured out of rugged nylon and features two 2" webbing handles for easy transport. The top opening is lined with 2" Velcro® for a secure seal. Frame Part Bags help streamline the process of transporting and storing cumbersome frame tent parts by consolidating into one bag.

Description	Dimensions	Product Code
Small Frame Bag	11'L X 13" Dia.	SFB
Large Frame Bag	16'L X 13" Dia.	LFB



Drop Cloths & Bags

Vinyl Tent Storage Bag

Standard Features:

- Constructed of 12 oz. white vinyl
- Grommets & Rope at top for easy storage and transport
- Round bottom construction makes for a snug fit
- Various stock sizes available to fit your tent size
- Listed width (W) taken from bag opening when laid flat on ground
- Custom sizes available by special order

Description	Dimensions	Product Code
Small Tent Bag	3'L X 2.5'W	STB
Medium Tent Bag	4'L X 2.5'W	MTB
Large Tent Bag	5'L X 3'W	LTB
X-Large Tent Bag	5'L X 4'W	XLTB




Cotton Bags W/Vinyl Bottom

Standard Features:

- Constructed of 18 oz. natural cotton duck
- Round bottom made of vinyl
- Bottom colors: S = White, M = Green, L = Yellow, XL = Red
- Grommets & rope at top for easy storage and transport
- Listed width (W) taken from bag opening when flat on ground

Description	Dimensions	Product Code
Small Cotton Bag	3'L X 2.5'W	SCBW
Medium Cotton Bag	4'L X 2.5'W	MCBG
Large Cotton Bag	5'L X 3'W	LCBY
X-Large Cotton Bag	5'L X 4'W	XLCBR



Protective Pole Sleeves

Our new center pole protective sleeves are the best way to protect your wood center poles from scratches, marring, dirt and incidental moisture while in transit to/from the job site and in storage. The sleeves are made of tightly woven nylon that resists incidental moisture and retains breathability. We also offer detached web strap assemblies that feature an easy grip handle which makes it much easier to distribute the weight of the pole across multiple installers. The sizes listed below are intended for use with ATF Engineered Wood Center Poles however custom diameters and lengths can be made by special order. Price is per linear foot.

Description	Product Code
4.5" Nylon Pole Sleeve	NPS4.5
5.5" Nylon Pole Sleeve	NPS5.5
Handle Assembly	NPS1INH

Not intended for protection against heavy/direct moisture. Follow manufacturer's handling and care instructions for engineered wood center poles. Do not exceed 50lbs. per handle strap assembly.





Aluminum Carabiner

Features

- Aircraft-quality 7000 series aluminum
- Symmetrical design prevents shifting
- Rope bearing surfaces are true radii - no flat spots
- Oval shape is great for multi-purpose use
- CE and UIAA certified

Description	Product Code
Aluminum Oval Carabiner	OPO6



Metal Rope Snap

This industrial grade metal Rope Snap makes it easier to fasten your guy-line assembly to the tent. Rated for up to 770 lb. working load limit.

Description	Product Code
Metal Rope Snap	MRS770



Metal Ring Cluster

This heavy duty ring assembly is made of 3/8" diameter zinc coated steel. The middle ring has an inside diameter of 1.25" and the four triangle rings accommodate 2" wide webbing. Working load limit = 2,000 lbs.

Description	Product Code
Metal Ring Cluster	MRC2000



Brass Grommets & Repair Kit


Our setting tools are made from high grade tool steel for long and reliable service in the shop or out in the field. Other size grommets available by special order.

Description	Product Code
#2 (7/16") Spur Brass Grommets (144)	#2BGSW1G
#5 (5/8") Spur Brass Grommets (144)	#5BGSW1G
#2 Grommet Setting Tool	#2GSET
#5 Grommet Setting Tool	#5GSET
#2 Hole Punch Tool	#2GHP
#5 Hole Punch Tool	#5GHP
Dead Blow Mallet	DBM100
10" X 10" X 1/2" Vinyl Cutting Pad	VCP100



Frame Tent Fasteners

Description	Product Code
2" R-Pin	2INRPIN
2" P&B	2INPB



Tent & Sidewall Buckles

Description	Product Code
Plastic Quick Release Buckle	SRBKL1W
1" Web Buckle, Metal	1INZWB



Sidewall Snaps & Hooks

Description	Product Code
Plastic Wall Snap	2SHW
Metal Wall Snap, Zinc	1INZWS



Nylon Wall Hook

Description	Product Code
Nylon Wall Hook	NTWHWG

Intended for use with 7/16" grommet. Back fastening rivet included



Nylon Keder Bullet (10mm)

Description	Product Code
Keder Bullet	NKBW

Each unit ships with two stainless steel screws



Push Button Assembly

Description	Product Code
1.75" Push Button	SPB175
2" Push Button	LPB2

Button is 3/8" in Diameter



Mobile Exit Sign

Features:

- Powered by a 6' long white extension cord
- Maintenance-free nickel-cadmium battery delivers up to 90-minute capacity to emergency lamps when fully charged
- Each head lamp contains 12 - powerful 1.5W LEDs
- Convenient kill-switch located on side of unit for transport
- Eye bolts at the top of the unit for easy hanging
- Two wire cable assemblies with snap hook included
- Letter stencil design conforms to UL924 standard
- Extra stencil face plate with red letters included

Description	Product Code
Mobile Exit Sign	MEXLT100




Built in Kill-Switch preserves battery power when not in use!

Protective Stake Caps

Protective Stake Caps provide added protection from abrasions and blunt force injury making your events much safer for attendees and pedestrians. Use them on rebar or headed stakes up to 2" in diameter. The proprietary flexible inner fin design keeps the cap stable and securely in place during use. Available in white and sold in bulk cases of 100.



Description	Product Code
White Stake Cap	23703



Barrier Fencing

White Barrier Fencing is an attractive addition to any outdoor event and is an economical traffic control solution for pedestrians and vehicles. Made of high density polyethylene with no sharp edges. Sold in 4' x 50' rolls and stocked in white only. Orange and green available by special order, minimums may apply.

Description	Product Code
4' x 50' White Fencing	450WF

Anchors & Installation

Single Headed Stakes



Description	Product Code	Weight
5/8" x 24" w/1 1/2" Head	2524WH	2.09 lbs.
3/4" x 24" w/1 1/2" Head	2624WH	3 lbs.
1" x 30" w/2" Head	2830WH	6.69 lbs.
1" x 36" w/2" Head	2836WH	8 lbs.
1" x 42" w/2" Head	2842WH	9.37 lbs.
1-1/8" x 42" w/2 1/2" Head	2942WH	11.84 lbs.

Double Headed Stakes



Description	Product Code	Weight
3/4" x 26" Double Head	2626DH	3.5 lbs.
1" x 30" Double Head	2830DH	7.14 lbs.
1" x 40" Double Head	2840DH	9.37 lbs.
1-1/8" x 40" Double Head	2940DH	11.84 lbs.

Headed Hook Stakes



Description	Product Code	Weight
3/4" x 12" Sidewall Stake	2612WHS	1.5 lbs.
3/4" x 24" HH Stake	2624WHS	3 lbs.

Hook Stakes



Description	Product Code	Weight
5/8" x 18" Hook Stake	2518B	1.7 lbs.
5/8" x 24" Hook Stake	2524B	2.22 lbs.

Anchors & Installation

Auger Stakes

The double helix design provides added stability in loose and/or sandy soil conditions.



Size	Product Code
5/8" X 30"	5830AUG
3/4" X 48"	3448AUG

12" Hardwood Stake


A great low cost option for anchoring sidewalls and small recreational tents.



Size	Product Code
12" Wood Stake	HTP012

150 per burlap sack

Wooden Mil-Spec Tent Stakes



Size	Product Code
1.5" X 16"	WPIN16
1.5" X 24"	WPIN24
2" X 36"	WPIN36

16" & 24" packed 50/bundle. 36" packed 24/bundle

Type II & III Mil-Spec Steel Tent Pins

Commonly used to anchor MGPTS, MCP, Temper, and Arctic style Military Tents.



Size	Product Code
5/8" X 12"	8340-01-823-7451
5/8" X 18"	8340-01-985-7461

Min. order; 50 stakes

12" Mil-Spec Aluminum Stake

Constructed of stamped aluminum with an Olive Drab finish, commonly used to secure military tarps and tents.



Size	Product Code
1.5" X 12"	1080-00-108-1654

Min. order; 50 stakes

9-12" Steel Stake

Made of heavy 12 gauge Galvanized Steel and ideal for use as a sidewall anchor. Available in 9 & 12" lengths.



Size	Product Code
9" Steel Stake	GSS009
12" Steel Stake	GSS012

Min. order; 100 stakes

Anchors & Installation

Steel Stake Bars

Constructed of heavy gauge steel with 1 1/4" holes, our Stake Bars are finished with a zinc coating for added weather resistance. Available in lengths of 2' and featuring a total of three stake holes.



Description	Product Code
2' Stake Bar (Three Holes)	WB3H

Rubber Grip Handle Sledgehammers

- Very durable handle is made with 6 spring steel bars that run all the way through the handle. Bars are locked with the Hammer head using Steel locking plates ensuring that the head never gets dislodged
- Ergonomic rubber grip handle absorbs shock & vibration reducing fatigue
- Special Bonding process ensures that head never gets loose from the handle
- Hammer Head is forged from special steel and is Induction case hardened to 52 to 56 HRC for extended life
- Available with 30" or 36" handle length




Photo illustrates internal design

Product Code	Weight
LB8	8 lbs.
LB10	10 lbs.
LB12	12 lbs.
LB14	14 lbs.

Please specify handle length at time of order

2-Piece Stake Driver Set

Our Stake Driver Sets are forged out of high quality tool steel and we offer a wide array of sizes to fit: Wacker, Pionjar, Bosch, Kango, Hitachi & Atlas Copco. Simply refer to the Driver Shank and Driver Head charts below to find the size that is appropriate for your application. The Stake Driver is sold as a 2-piece set.

Driver Head Sizes	Product Code
1-1/4" Inside Diameter	222C
1-1/2" Inside Diameter	223C
1-3/4" Inside Diameter	224C
2" Inside Diameter	225C
2-1/2" Inside Diameter	226C

Driver Shank Sizes	Product Code
7/8" x 4-1/4" Shank W/Collar	217D
1-1/8" x 6" Shank W/Collar	218D
1-1/4" x 6" Shank W/Collar	220D



**For use with steel stakes only.*

Anchors & Installation

Ratcheting Winch Plate

Use as a stand alone anchoring unit with double headed tent stakes or in conjunction with our steel stake bars for added holding power. Intended for use with 1" or 1-1/8" stake diameters. WLL = 3,333 lbs. See straps on pg. 18.

Description	Product Code
Ratcheting Winch Plate	WPR10K_R

Finish color may vary (gray or black)



JackJaw® Stake Extractor

JackJaw® Tent Stake Extractors are the new force in stake pulling. The powerful, patent pending jaw and lever mechanism allows you to pull tent stakes straight out of the ground or asphalt without bending the stakes. The sturdy lever arm gives you a 16 to 1 mechanical advantage. A 100 lb. down force on the handle generates a 1,600 lb. upward force and a 3,200 lb. gripping force on the stake. Tilted stakes? No problem! Just lean the JackJaw® to align with the stake. With the optional stake bar adapter (AC0009), the JackJaw® easily pulls stakes from stake bars or flat base plates.

JackJaw® Buyers Guide:

JJ0301 - Ideal for simple stake extractions, where the stake head is not flush against a surface.

JJ0302 - This puller can do simple extractions like the 301 described above, plus pull stakes that are pounded flush to a surface such as stake bars and plates. Recommended for use with AC0009 Adaptor.

Description	Product Code
JackJaw® Stake Extractor	JJ0301
JackJaw® W/Adjustable Base	JJ0302
Extractor Stake Adaptor	AC0009



JackJaw® 301 pulling angled stake



JackJaw® 302 in raised position with adapter



Lever Stake Puller

Features and Benefits:

- Easy to operate
- Removes all types of stakes
- Fast and efficient
- Weighs only 37 lbs.
- Cost effective
- Not intended to pull stakes driven flush to plate

Product Code 230

Anchors & Installation


Drop-In Concrete Anchors

Our Drop-In Concrete Anchors feature an internally threaded, all-steel shell with expansion cone and are manufactured from zinc-plated carbon steel or stainless steel for continuous low temperature and long term applications. Drop-In Anchors should be installed with carbide tipped hammer drill bits made in accordance to ANSI B212.15-1994 specifications. For best results, use with ATF Eyebolts.

Drop-In Anchor Installation Steps:



Drill hole to required depth



Clean hole w/ pressurized air



Drive Anchor flush w/surface



Expand Anchor w/ Setting Tool

Approvals/Listings

- Meets or exceeds U.S. Government G.S.A. Specification A-A-55614 Type 1
- Underwriters Laboratories
- Factory Mutual
- City of Los Angeles - #RR2748
- California State Fire Marshal
- Caltrans



Bolt Dia.	Drill Bit	Min. Depth	0° Tension Value	Anchor Code	Setting Tool Code
1/2"	5/8"	2"	5,840 lbs.	RL-12	RLST-12
5/8"	7/8"	2-1/2"	8,640 lbs.	RL-58	RLST-58
3/4"	1"	3-3/16"	9,480 lbs.	RL-34	RLST-34

Allowable load values based upon 4 to 1 safety factor and are applicable to 4,000 psi concrete installs only; divide tension value by 4 for allowable load values. Designed for vertical lifts only, angles greater than 0° may reduce the working load limit. Stainless Steel recommended for extreme low temperature and long term installations, please call for pricing & availability. Anchors remain in concrete.

ATF Eyebolts




Manufactured specifically for use with our Drop-In Anchors, simply match the Eyebolt diameter to the bolt diameter listed in the Drop-In table above.

Description	Product Code	0° Load Limit
1/2" Eyebolt	12EBEA	2,400 lbs.
5/8" Eyebolt	58EBEA	4,000 lbs.
3/4" Eyebolt	34EBEA	5,000 lbs.

Load limits applicable to 0° lifts only, angular lifts greater than 0° reduce the working load limit. Final anchor assembly only as strong as the weakest component. Stainless Steel recommended for extreme low temperature and long-term installations, Please call for pricing & availability.



DUCKBILL anchors, a patented labor and time-saving device, work like a toggle bolt in soil. DUCKBILLS are driven into the ground (with no holes, no digging and no concrete), providing a safe and environmentally sensitive installation. An upward pull on the anchor tendon rotates the DUCKBILL into a perpendicular "anchor lock" position in undisturbed soil. The result: superb holding capacities. Steel drive stakes sold separately. See chart below for specifications and capacity limits.



Description	Product Code	Rated Capacity
Aluminum Anchor w/2-1/2' of 1/8" Wire Rope	68DB1	1,100
3' Long Steel Drive w/Striking Head	DS-68	For Model 68DB1
Aluminum Anchor w/3-1/2' of 1/4" Wire Rope	88DB1	3,000
4' Long Steel Drive w/Striking Head	DS-88	For Model 88DB1



The end loop can be secured to rope or ratchet hardware.

Cleaning & Repair

Advantage Tent Cleaner

Works Great in multiple applications including:

Cleaning Tents • Office • Industrial • Household • Automobile

Don't let the name fool you! Use Advantage Tent Cleaner to clean carpet, furniture, pet stains, walls, boat interiors, convertible tops, and much more! Easily cleans tough stains including mildew, wine, rust, road tar, scuff marks, glue, ink, and many other tough stains common in the rental industry! Use it at home and at work!

Description	Product Code
Vinyl Cleaning Solution	VCLN5000

Rec. concentration per 1 QT. of Water: Light = 1 oz. Cleaner, Medium = 2 oz. Cleaner, Heavy = 3 oz. Cleaner

Contains biodegradable surfactants

**Biodegradable
Formula**



Liquid Vinyl Patch

Advantage Liquid Vinyl Patch is the answer to repairing small vinyl pinholes! Each 4 oz. can includes a dauber applicator for easy field repairs. Be sure to keep some handy in your rental truck(s) for emergency "last minute" repairs.

Description	Product Code
4 oz. White Liquid Vinyl	ATFLV/COLOR

Standard Colors (actual color may vary slightly from catalog ink color)

 **Clear & White**

 **Red**

 **Kelly Green**

 **Beige**

 **Marine Blue**

 **Forest Green**

 **Yellow**

 **Dark Blue**

 **Black**

Tip!



For repairing pinholes in blackout vinyl, apply a thin layer of black liquid vinyl patch first, allow it to dry, then apply a layer of white liquid vinyl patch to simulate the blackout material. A second layer of white might be required.

HH-66™ Vinyl Cement

A superior quality vinyl adhesive that really works!

- Exceptional Bond Strength
- Easy Application - Brushes smoothly & quickly
- Fast Drying - Ready in minutes
- Waterproof - Outstanding resistance to temperature and weather extremes, chemicals, oil, fuel, grease
- Versatile - Use for fabricating, repairing & sealing stitched seams

Description	Product Code
HH-66 (4 OZ.)	HH664OZ
HH-66 (8 OZ.)	HH668OZ
HH-66 (1 PT.)	HH661PT
HH-66 (1 QT.)	HH661QT
HH-66 (1 GL.)	HH661GL



Applicator brush included

White Vinyl Repair Tape

Developed specifically for the tent rental professional, our Vinyl Tape is a great solution for last minute job site repairs on vinyl tent tops and sidewalls. Featuring a top layer of premium white blackout vinyl and an adhesive backing that offers an excellent combination of high initial tack and adhesion. Simply clean the repair area, cut the patch to size, peel and stick! **Product Code: FP13OZB - 4" X 10' Roll**

Not intended to replace permanent repairs such as heat sealing and/or sewing, particularly in areas of the structure that experience a high degree of stress.



Cut to size



Peel



& Repair!



Translucent Vinyl Repair Tape

Tear-Aid® repair patch is made from an exceptionally tough, matte finish, abrasion resistant, translucent polyurethane elastomer that resists puncture and tearing. Tear-Aid® makes the perfect low-cost addition to any field repair kit. Recommended for repairing tears and cuts to clear sidewalls and french windows. Intended for use with vinyl and vinyl coated materials only.

Description	Product Code
3" X 5' Type B Bulk Roll	TA313

Leister™ Triac Tent Mender

The perfect solution for heavy duty repairs!

The Leister™ Triac creates a permanent weld between two pieces of vinyl. Simply cut a piece of material to overlap the damaged area. Heat the vinyl between the two pieces and exert constant pressure with the wide band roller. The finished repair is virtually invisible when using a matching material. The Leister™ Triac features an adjustable temperature control and is powered by 110 volts. Leister™ tools are guaranteed for 12 months against electrical or mechanical failure caused by defective material or workmanship, provided the failure is not the result of misuse.

Description	Product Code
Leister™ Triac	141.228
Wide Band Roller	HY-1000
40MM Nozzle	107.132

Nozzle and roller sold separately



Carrying Case included with each Triac Purchase!

Event Lighting

Streamer Lighting

Features:

- SPT-2, 10 amp U.L. Listed Wire
- Professional Grade Sockets with Heavy Duty Clips
- Sockets rated for up to 7 watt candelabra bulb
- 12" Spacing between sockets
- Available in bulk or kits
- An economical way to add a touch of class to your next event!



Bulbs sold separately



Our streamer sockets feature heavy duty clips that have excellent memory and resiliency for reliable field performance!

C7 Streamer Wire

Available in 100' pre-cut sections or 1,000' bulk spools with 12" spacing. The 100' section features a male plug and terminated end (intended for 100' runs or less). The 1,000' spool can be cut in custom increments up to 150' recommended maximum run length.

Description	Product Code
100' White C7 Streamer Section	C7LS100WH
1000' White C7 Bulk Streamer Reel	C7BSR1KWH

Bulbs sold separately

Streamer Kit Deluxe

Features:

- One 50 ft. White 12/3 Extension Cord
- Two 100' SPT-2 White Streamer Sections
- 200 SPT-2 White Sockets - Pre-wired and spaced 12" apart
- 200 - 7 watt - Clear Bulbs
- 12 - White Clip-on Male Connectors
- 12 - White Clip-on Female Connectors
- 10 - Replacement Sockets
- 200 - 7" Nylon Tie Straps

Product Code: SKC7W200



Streamer Adder Kit

Features:

- Two 100' SPT-2 White Streamer Sections
- 200 SPT-2 White Sockets
- Pre-wired & spaced 12" apart
- 200 - 7 watt Clear Bulbs

Product Code: STRC7W200

7W Streamer Bulb (A.)

- 130 Volt, 7 Watts
- 3,000 hour average life
- Torpedo shaped, clear glass
- Perfect for lighting the perimeter of tents
- Sold as box of 25 or case of 1,000 bulbs

Description	Product Code
C7 Bulb, 7W, Clear	C7BCLIN

LED C7 Style Bulbs (B.)

- Use only .375 Watts per Bulb!
- Incredible 30,000 hour average life
- Warm white color temperature
- Sold as bag of 25 or case of 500 bulbs

Description	Product Code
C7 Bulb, 7W, Clear	C7LEDSWW

Round 5W & 7W Bulbs (C.)

- 130 Volt 5W (G40) or 7W (G50)
- 2,500 hour average life
- 1.5" Diameter (G40) or 2" Diameter (G50)
- Perfect for stringing throughout canopies and over courtyards
- Sold as box of 25 or case of 500 bulbs

Description	Product Code
G40 Bulb, 5W, Clear	G40BCLIN
G50 Bulb , 7W, Clear	G50BCLIN

SPT2 Quick Plugs (D.)

- Quick Plugs make it easy to create custom streamer sections and custom party lantern cords
- Top slides on for easy installation
- Sold and ship in bags of 12

Description	Product Code
SPT2 Female Quick Plug	SPT2QPFW
SPT2 Male Quick Plug	SPT2QPMW

Cable Ties (not shown)

8" Cable Ties are ideal for securing streamer lights to tent perimeters and framework. Sold and ship in bags of 100.

Description	Product Code
7" Cable Ties	7INCTB100




A.



B.



C.



D.

No hard wiring required with simple slide on backing!

Event Lighting

Luna Collection™

4-Globe Molded Chandelier (A&B)

Chandelier Features:

- 20' 18/2 lead cord
- Durable white polycarbonate globes
- Includes three 6 ½" and one 7 ½" globe
- "Quick Connect" feature to form an upright lamp
- Engineered with white or black molded P.V.C. resin
- U.L. Listed

Description	Product Code
White 4-Globe Chandelier	1601-00162-ATF
Black 4-Globe Chandelier	1604-00262-ATF

Floor Lamp Base (C&D)

Lamp Base Features:

- Weighted base featuring an 18/2 outdoor 8' cord
- Constructed of high impact P.V.C.
- Built-in dimmer switch
- "Quick Connect" feature for converting chandelier to upright lamp
- 82" Tall, 240 watt max
- U.L. Listed

Description	Product Code
White Lamp Base Only	1601-10517-ATF
Black Lamp Base Only	1604-10517-ATF

12" Drop Light & Lamp Kit (E&F)


12" Drop Light Features (E):

- 20' white 18/2 lead cord
- 12" white polycarbonate globe
- Use with up to 60W Bulb (not included)
- For indoor use only

12" Single Globe Lamp Kit Features (F):

- Weighted base featuring a white 18/2 outdoor 8' cord
- Constructed of high impact P.V.C.
- Includes one 12" white polycarbonate globe
- Built-in dimmer switch
- 76" Tall
- Constructed of U.L. Listed Components

Description	Product Code
12" Drop Light Only	1601-90163
Single Head Lamp Kit	1601-11375





Featuring Heavy Duty Stainless Steel Mounting Hooks

Perimeter Globe Lighting

Features:

- White 18-Gauge heavy-duty, straight cord
- U.L. approved for outdoor use
- 6" diameter white globes made of virtually unbreakable Polycarbonate (included)
- Durable Stainless Steel mounting hooks
- 10' spacing between each globe
- Available in 8 Globe and 2 Globe sets
- RetroFit Prismatic Globes available

8 Globe Set

- 20' lead cord
- 9" tail after last globe
- Interlocking lead and tail plug capabilities for multiple sets
- Total Length: 90' 9" from end-to-end

Tent Perimeter	Applicable Lighting
10' X 10'	2 - 2 Globe Sets
20' X 20'	1 - 8 Globe Set
20' X 30'	1 - 8 Globe Set & 1 - 2 Globe Set
20' X 40'	1 - 8 Globe Set & 2 - 2 Globe Sets

2 Globe Set

- 9'3" lead cord
- 9" tail after the last globe
- Interlocking lead and tail plug capabilities for multiple sets
- Total Length: 20' from end-to-end

Description	Product Code
8 Globe Light Set	1601-11806-ATF
2 Globe Light Set	1601-00026-ATF
Replacement Globe	1601SM/WHITE

Commercial Grade Light String

Our Commercial Grade Light Strings feature a unique weather resistant seal around each bulb and are manufactured with extremely durable PVC Resin. Available with white or black wire and in 50' or 100' lengths, this light set is ideal for stringing across tents, courtyards, walkways and entry ways.




**Now also
available with
Black Wire!**

Features:

- 24" spacing between sockets
- PVC encapsulated sockets resistant to U.V. sunlight exposure
- Soft socket lips for weather-resistant seal around the bulbs
- Accepts 11W medium base light bulbs (sold separately)
- Molded on male power plug included with each set
- 16AWG SPT-2 U.L. listed wire
- Factory rated for indoor/outdoor use
- Max cont. run 7AMPS (840W)
- 50' Interconnectable up to three strands
- 100' length includes 6' lead cord

Description	Product Code
50' Comm. Light String	1601-CG50/COLOR
100' Comm. Light String	1601-CG100/COLOR
11W Clear Bulb, 20/Box	11WMB/CLEAR

Event Lighting



Nylon Party Lanterns

Our Nylon Party Lanterns are durable and long lasting, yet exude a unique shimmer that regular paper lanterns don't offer. Nylon lanterns are much more durable than regular paper lanterns and are available in a multitude of sizes and colors to match your event décor. Whether you are decorating for an elegant wedding or for a festive backyard party, Nylon Lanterns are sure to create a unique atmosphere at your next event!

Description	Product Code
14" Round - Avail. in White, Black, Fuchsia, Lavender, Blue, Orange, Green & Yellow	NL14/COLOR
16" Round - Avail. in White	NL16/COLOR
18" Round - Avail. in White, Black, Fuchsia, Lavender, Blue, Orange, Green & Yellow	NL18/COLOR
24" Round - Avail. in White, Black, Fuchsia, Lavender, Blue, Orange, Green & Yellow	NL24/COLOR
18" Round Irregular Rib Lantern, White	INL18/WHITE
24" Round Irregular Rib Lantern, White	INL24/WHITE
12" Flower Covered Lantern, White	FCL12/WHITE
16" Flower Covered Lantern, White	FCL16/WHITE



Photo - i2istudios, Cincinnati, OH
Installation - Entertainment Unlimited Events, Centerville, OH

"I wanted to thank you for my wonderful experience working with your company. From start to finish I can only compliment you on your service and product. I needed 150 lanterns for a high-profile wedding. You helped me with what I needed and guided me through the entire process. I would highly recommend your company!!"

Scott Levine, President

Entertainment Unlimited Events, Centerville, OH

Lantern Cord System Components

Whether you are looking to drop lanterns from the lace lines of a tent or simply string them between center poles, we offer all the components you need to create the perfect lantern cord!

Individual Components	Product Code
100' Roll SPT2 (10AMP) White Wire	SPT2W100FTW
White Female Quick Plug (12)	SPT2QPFW
White Female "In-Line" Quick Plug (12)	SPT2QPIW
White Male Quick Plug (12)	SPT2QPMW
7" Clear Cable Tie (Bag of 100)	7INCTB100
Intermediate Base Lamp Socket (40W)	216SK-731-2
Clear 40W Bulb (25)	203B40S11N/C
Frosted 40W Bulb (25)	203B40S11N/IF
White Electrical Tape (EA.)	PVCT/WHITE

Installation Suggestions:

Option 1: Create drops by connecting female outlets right onto the main wire. Ideal for variable length drops.

Option 2: Place Intermediate Base Pin Sockets right onto the main wire. Ideal for stringing lanterns between center poles or where varying length drops aren't required.



Cape Cod Style Onion Lanterns

Used on fishing vessels in the 1800's and later utilized for porch lighting, the iconic Onion Lantern has been an enduring light source for well over a century. We have taken this great American tradition and seamlessly retrofitted it for use within the tenting environment. The warm glow and rustic aesthetics create a welcoming environment inside of event tents. Available in a small and large size and in two different materials/finishes. The Bronzed version is made of Copper and the Aged Zinc version is made of Aluminum. The Center Pole Mount Set illustrated below accommodates a pole diameter range of 4.5" to 5.5". We also offer a side pole bracket kit for mounting the small lantern to 2.5" or 3.5" octagonal wood side poles. The lantern is ETL listed and conforms to ANSI/UL Standard 1598. Small rated for 75W and large rated for 100W. Bulb not included.



Center Pole Mount Kit

Includes two untreated pine wood panels, back plates and mounting hardware.



Side Pole Mount Kit

Interfaces with our PCS2 bracket located on page 40. Intended for use with small Onion Lantern only. Shown from back view of bracket.

Description	Product Code
Small Onion Lantern, Bronzed Copper	SOL60WBC
Small Onion Lantern, Aged Zinc	SOL60WAZ
Large Onion Lantern, Bronzed Copper	LOL60WBC
Large Onion Lantern, Aged Zinc	LOL60WAZ
Center Pole Mount Bracket Set (2)	OLCPB5.5
Side Pole Mount Kit (1)	OLSPB3.5



Small Aged Zinc
18" T X 8.8" W
Weighs 3.5 lbs.



Large Bronzed Copper
23.3" T X 11" W
Weighs 5 lbs.

Mason Jar Pendant With Cage

Add a rustic touch to your next tented event with our unique oversized Mason jar pendants. The pendants are 4½" dia. by 11¼" tall and include a heavy duty metal cage that protects the glass. The lid and cage feature a weathered red-brown finish. Rated for up to 60W light bulbs and illustrated with a 40 watt vintage bulb (*not included*). The open bottom and ventilation holes on top help to dissipate heat during use. The kit includes one brown 15½ foot cloth-covered lamp cord with switched socket and two cord clamps for adjusting the height of the lamp. Simply plug into any standard outlet with no hard wiring required. Extra brown wire and quick plugs available.

Description	Product Code
Mason Jar Pendant & Cord Kit	MGP60W
1000' SPT-2 10AMP Wire, Brown	SPT2BR1000FT
SPT-2 Female Quick Plug (12), Brown	SPT2QPFBR
SPT-2 Male Quick Plug (12), Brown	SPT2QPMBR




Event Lighting

Commercial Grade Mini Lights

Features:

- Super bright bulbs, white wire
- Connect up to three strings together
- U.L. Listed for indoor/outdoor use
- If one bulb fails, the rest stay lit
- 3,000 hours (average life)

Description	Product Code
25ft. – 50 Bulbs	XE50CLEAR
50ft. – 100 Bulbs	XE100CLEAR



Portable Cage Light String

Features:

- 50' long with qty 5 sockets per strand
- Sockets spaced in 10' intervals
- 50' long with qty 5 sockets per strand
- 12/3 15A 600V cable
- U.L. Listed and factory rated for indoor/outdoor use
- Includes durable PVC epoxy coated metal cages
- Can be hung from heavy duty eyelets above the socket

Description	Product Code
50' Portable Light String	D12022050
Replacement Cage, White	D12900009

50W LED Flood Light

Fixture Features:

- 50 Watt, 120V
- Warm White LED, Approx. 4,500 Lumens
- Rugged aluminum housing with black powder coat finish
- IP 66 rated for dust and moisture protection
- Measures 8.5" X 8.25" X 2"
- Mounting yoke included

Description	Product Code
50W LED Fixture	50WLEDWW



Professional Grade PAR Fixtures

PAR Features:

- Sizes Available: PAR 38 (90W Halogen), 56 (300W lamp w/ ceramic plug), 64 (500W lamp w/ceramic plug)
- U.L. Listed
- White lacquered cans
- Gel holders included
- A/C socket and cord w/plug included
- Bulbs and light gels sold separately

Description	Product Code
PAR 38, UL, White	PAR38ULW
PAR 56, UL, White	PAR56ULW
PAR 64, UL, White	PAR64ULW
90W Halogen Bulb	PAR3870WB
300W Lamp	P56300WBMB
500W Lamp	P64500WBMB



FlexiPAR

FlexiPAR is a high-tech alternative to standard PAR cans. Made of thick aluminum and includes 4 lenses to change the degree of flood: VNSP, NSP, MFL, WFL. Uses a super bright 575 watt, 3,200 Kelvin, lamp (sold separately). Includes hanging bracket, cord set and gel frame. High output and quick lens/beam change make the FlexiPAR a popular choice for a high output spotlight within the tent environment.

Description	Product Code
FlexiPAR, White	FLEXIPARW
575W Lamp	GLA575W



Lighting Hardware



Lighting Arm Brackets

Features:

- For use with our Decorative Lighting Arms or ATF PAR Mount Arms
- Durable powder coated finish
- Black inside protective liner
- Set screw for additional support & adjustment

Description	Product Code
2" Clamp	PCS2
3" & 4" Clamp	PCM34
5" & 6" Clamp	PCL56

ATF PAR Mount Arms

The ATF PAR Mount is a cost effective, simple and streamlined way to mount PAR cans to center poles. Designed for use with our Lighting Arm Brackets found above, ATF PAR Mount includes one 3/8" and one 1/2" mounting hole on the front plate to accommodate a wide range of PAR light fixtures. The white powder coated finish blends seamlessly into the canopy top and provides for a professional and attractive looking installation. Each individual PAR mount rated for up to 25 lbs. Lighting Arm Bracket rated for up to four PAR cans and 100 lbs. evenly distributed total working weight limit. Sold individually, mounting bolts and nuts not included.



3/8" and 1/2" Mounting Holes and a Sturdy Mounting Surface make for fast and easy installs.

Description	Product Code
PAR Mount, White	PMAW



Decorative Lighting Arms

Features:

- Flat-bar steel construction
- Durable white powder coated finish
- Available in 20", 28" and 36" lengths
- Perfect for hanging chandeliers & party lanterns!

Description	Product Code	Clamps Req.
20" Lighting Arm	LA20	1
28" Lighting Arm	LA28	1
36" Lighting Arm	LA36	2



Photo - Miller's Grand Events, Fairhope, AL

Lighting Hardware



PAR Light Center Pole Bracket

Constructed of heavy-duty steel with a durable white powder coated finish, our PAR Light Brackets are available in two sizes: small accommodates pole diameters of 3" to 5" and large accommodates pole diameters of 5" to 8". Each bracket supports an aluminum cross pipe for mounting lighting fixtures (sold separately). We recommend a 3' pipe for the small brackets and the 4' or 5' pipe for the large bracket.



Photo - Dave Dudek - Wicky's Party Tent Rentals, Inc., Carleton, MI



Description	Product Code
Small Par Bracket	PLC35
Large Par Bracket	PLC58
3' Aluminum Pipe	PLCAP3
4' Aluminum Pipe	PLCAP4
5' Aluminum Pipe	PLCAP5
Pipe Clamp	PC02
Safety Cable	SC05

Trigger Clamps

Our Trigger Clamps are an innovative and easy new way to mount single specialty lighting fixtures such as PAR cans onto truss work, round pipe and side poles. The small accommodates round pipe up to 2" round diameter and is rated for up to 44 lbs. The large accommodates round pipe ranging from 1.88" to 3.15" outside diameter. The large clamp also includes one 12 X 50mm bolt for easy mounting and is rated for up to 220 lbs.



TTMB44



TTC220

Description	Product Code
Small Trigger Clamp	TTMB44
Large Trigger Clamp	TTC220



Small Keder Clamp



Keder Track Clamps

Our versatile Keder Track Clamps enable you to transform existing keder track frame systems into a flexible lighting platform! These clamps are available in three different sizes to best suit your specific requirements and feature a bolt hole on the front face plate for easy light fixture mounting. All sizes come with durable powder coated finish.

Description	Beam Width	Load (lbs.)	Product Code
Small Keder Clamp	3-5"	44	KTC44
Medium Keder Clamp	2-4"	330	KTC330
Large Keder Clamp	2-6"	550	KTC550



Indoor/Outdoor Extension Cords

Our 12/3 Outdoor Extension Cords feature a high visibility P.V.C. jacket that withstands rough use, chemicals, moisture, and ozone and provides added flexibility at below freezing temperatures. The molded-on non-slip plugs, available in single tap and triple tap, resist breaking or pulling off. Our white cords are best suited for applications with light backdrops such as white tent tops, sidewalls and white pole covers. For dark backdrops, such as pavement or grass, our 25' black single tap cord is ideal. The 10' molded on triple tap cord is a perfect power source for lighting clusters affixed to center poles. All of our extension cords are U.L. Listed and meet OSHA requirements. See the table below for a complete listing of our single and triple tap extension cord selection.

Description	Product Code
25' White 12/3 Single Tap	D14512025
50' White 12/3 Single Tap	D14512050
100' White 12/3 Single Tap	D14512100
10' White 12/3 W/Trip Tap	D15613010
25' Black 12/3 Single Tap	D16624025

Triple Tap Adapters

Features:

- Convert any of our 12/3 Extension Cords into a 3-Outlet Cord
- Abrasion resistant P.V.C. Molded Shell
- 15A-125V
- U.L. Listed

Description	Product Code
Triple Tap Adapter	D101/COLOR



Available in Black or White



**Durable Pro Cap™
Outlet Covers Keep
Dirt and Moisture Out.**

50' White Multi Outlet Cord

Our 50' White 12/3 Multi Outlet Extension Cord features five outlets with Pro Cap™ covers to keep dirt and moisture out of unused sockets.

Features:

- 15A-125V
- Five Outlets @ 10' intervals
- -40F Cold weather Jacket
- U.L. Listed

Description	Product Code
50' White 12/3 Multi Outlet Ext. Cord	D12420050

GFCI In-line Shock Protector™

With Lighted Triple Tap End!

Features:

- Triple tap features Primelight™ power indicator light
- 3ft. 12/3 SJTW power cord has in-line GFCI for shock protection
- Rated for up to 15 Amps or 1,875 Watts
- Ultra flexible up to -40 Degrees F.
- U.L. Listed and meets all OSHA requirements



Description	Product Code
3' Inline GFCI	GF320803

GFCI Surge Protectors are recommended for all outdoor lighting/electrical installations

DURADIMMER™

1,000W Features:

- Housed inside of durable aluminum box with weather tight covers
- Includes one 15A manual reset GFCI outlet and one slide dimmer

2,000W Features:

- Rotary style dimmer housed inside of durable aluminum box
- Inline auto reset GFCI included on 2' power supply cord
- 2' Female pigtail reduces the risk of unwanted plug-ins
- Assembled in USA of UL, CSA or UL recognized components

Description	Product Code
1,000W Dimmer	DD1000W
2,000W Dimmer	DD2000W

1,000W Dimmer W/Receptacle Based Manual Reset GFCI



2,000W Dimmer W/Inline Auto Reset GFCI



18" Mountable Tent Fan

Features:

- Low Profile white housing makes it ideal for use in tents
- Quiet operation
- UL507 certified motor for indoor and outdoor use
- Corrosion resistant, powder coated fan guards meet OSHA 1910.212(a)(5) requirements
- Powder coated guards and bracket for corrosion resistance

Specifications:

- Motor: 1/8 HP, 115 Volts, 3 Speed
- CFM: 3,120, 2,650, 2,010
- Cord: 8' Three prong pre-wired plug
- Amp Draw: Up to 1.4 amps
- Fan guard diameter: 21"
- Fan guard depth: 6.5"
- Weight: 20 lbs. excluding the clamp



UL 507
Certified for Indoor/
Outdoor Use!



The Pole Mount Bracket (shown right) enables you to easily mount the fan in horizontal or vertical orientations. Fits the following: 2"-2.375" Round Pipe, 1.5" X 2.5" Wood Tent Poles, 2.5" X 2.5" ATF Brand Octagonal Wood Tent Poles.

Description	Product Code
18" Fan, White, UL	18MFULW
Pole Mount Bracket, White	FPMBW



11661 Pleasant Valley Rd.
Chillicothe, OH 45601-8315
PH: 1-866-813-4501 • FX: 1-740-773-8371
www.advantagetent.com
sales@advantagetent.com